

Message

From: Nickel, Brian [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=9483559E89D34E6D96093E7F5F811F72-NICKEL, BRIAN]
Sent: 5/18/2018 7:38:33 PM
To: Page, C [c.page@wsu.edu]
CC: Edmondson, Lucy [Edmondson.Lucy@epa.gov]
Subject: RE: M. Mullin

Chris:

There's no need to change anything. Thanks for the clarification.

Thanks,

Brian Nickel, E.I.T.

Environmental Engineer
US EPA Region 10 | Office of Water and Watersheds | NPDES Permits Unit
Voice: 206-553-6251 | Toll Free: 800-424-4372 ext. 6251 | Fax: 206-553-1280
Nickel.Brian@epa.gov
<https://www.epa.gov/npdes-permits/about-region-10s-npdes-permit-program>
Please conserve natural resources by not printing this message.

From: Page, C [mailto:c.page@wsu.edu]
Sent: Friday, May 18, 2018 11:11 AM
To: Nickel, Brian <Nickel.Brian@epa.gov>
Cc: Edmondson, Lucy <Edmondson.Lucy@epa.gov>
Subject: M. Mullin

Hi Brian, yes Michelle Mullin's name is on the agenda simply to denote her as EPA point person for product testing; let me know if that should be different.

-Chris Page, Senior Project & Development Lead
William D. Ruckelshaus Center: www.ruckelshauscenter.wsu.edu
901 Fifth Avenue, Suite 2900 / Seattle, WA 98164
desk 206-770-6060 / cell 206-683-5272
This email and any responses may be subject to state public disclosure laws

From: Nickel, Brian <Nickel.Brian@epa.gov>
Sent: Friday, May 18, 2018 11:01 AM
To: Doug Krapas <dougkrapas@iepc.com>
Cc: Edmondson, Lucy <Edmondson.Lucy@epa.gov>; Page, C <c.page@wsu.edu>; Vakoc, Misha <Vakoc.Misha@epa.gov>
Subject: Additional recipients for the road paint letter

Doug (cc Lucy, Misha and Chris):

I'm glad to see that Idaho utilities were included on the letter about adoption of alternatives to PCB-containing road striping paints.

<http://srtrtf.org/wp-content/uploads/2018/04/SRRTTF-Letter-to-WA-Governmental-Organizations-regarding-Road-Paint-Final-Draft-042618-1.docx>

However, it seems to me that this letter should be sent to all of the utilities in the Spokane River watershed in Idaho that have municipal separate storm sewer (MS4) permits. This does include the City of Coeur d'Alene, the City of Post Falls and the Lakes Highway District, to whom the letter is already addressed. The City of Hayden does not have an MS4 permit, but I think it's fine to send the letter to the City.

I suggest you also include the Post Falls Highway District and the Idaho Transportation Department, District 1. Here are their MS4 permits for your reference:

<https://www.epa.gov/npdes-permits/npdes-stormwater-permit-post-falls-highway-district-ms4s-idaho>

<https://www.epa.gov/npdes-permits/npdes-stormwater-permit-idaho-transportation-department-district-1-ms4s>

Contact information for the Post Falls Highway District is available here:

<http://www.postfallshd.com/about.html>

<http://www.postfallshd.com/contact.html>

Contact information for the Idaho Transportation Department, District 1 is available here:

<https://itd.idaho.gov/d1/>

Thank you,

Brian Nickel, E.I.T.

Environmental Engineer

US EPA Region 10 | Office of Water and Watersheds | NPDES Permits Unit

Voice: 206-553-6251 | Toll Free: 800-424-4372 ext. 6251 | Fax: 206-553-1280

Nickel.Brian@epa.gov

<https://www.epa.gov/npdes-permits/about-region-10s-npdes-permit-program>

Please conserve natural resources by not printing this message.